



SAFETY PRODUCTS



Steel Guard® Industrial Railing


Protect workers, machinery, loading docks & pallet rack from damage with Steel Guard's pre-fabricated, modular design.



- Available in single high or double high versions.
- Posts are 4" square structural tubing on a 10" square base plate.
- Posts include four 3/4" x 5-1/2" anchors and cap.
- Rails are 14-1/2", 11-gauge, 3 ribbed rails. Bolted or lift-out versions available.

Guard Rail Posts

Post Types



Model #	Color	Description	Wt. Each
SCLYW	Yellow	18" Center Post, Single High	40#
SCLEYW	Yellow	18" Offset End Post, Single High	40#
SCLSYW	Yellow	18" Offset Side Post, Single High	40#
SCOWW	Yellow	18" Corner Post, Single High	40#
SCOOYW	Yellow	18" Offset Corner Post, Single High	40#
SREYW	Yellow	18" Reinforcement Post, Single High	40#
DCLYW	Yellow	42" Center Post, Double High	65#
DCLEYW	Yellow	42" Offset End Post, Double High	65#
DCLSYW	Yellow	42" Offset Side Post, Double High	65#
DCOWW	Yellow	42" Corner Post, Double High	65#
DCOOYW	Yellow	42" Offset Corner Post, Double High	65#
DREYW	Yellow	42" Reinforcement Post, Double High	65#

Bolted Guard Rails



Model #	Color	Description	Wt. Each
GR01YW	Yellow	1 ft. Bolted Guard Rail (actual 8")	14#
GR02YW	Yellow	2 ft. Bolted Guard Rail (actual 20")	24#
GR03YW	Yellow	3 ft. Bolted Guard Rail (actual 32")	34#
GR04YW	Yellow	4 ft. Bolted Guard Rail (actual 44")	44#
GR05YW	Yellow	5 ft. Bolted Guard Rail (actual 56")	54#
GR06YW	Yellow	6 ft. Bolted Guard Rail (actual 68")	64#
GR07YW	Yellow	7 ft. Bolted Guard Rail (actual 80")	74#
GR08YW	Yellow	8 ft. Bolted Guard Rail (actual 92")	84#
GR09YW	Yellow	9 ft. Bolted Guard Rail (actual 104")	94#
GR10YW	Yellow	10 ft. Bolted Guard Rail (actual 116")	104#

Lift-Out Rails



Pockets Included

Model #	Color	Description	Wt. Each
GR01LYW	Yellow	1 ft. Lift-out Guard Rail (actual 6")	27#
GR02LYW	Yellow	2 ft. Lift-out Guard Rail (actual 18")	37#
GR03LYW	Yellow	3 ft. Lift-out Guard Rail (actual 30")	46#
GR04LYW	Yellow	4 ft. Lift-out Guard Rail (actual 42")	54#
GR05LYW	Yellow	5 ft. Lift-out Guard Rail (actual 54")	66#
GR06LYW	Yellow	6 ft. Lift-out Guard Rail (actual 66")	74#
GR07LYW	Yellow	7 ft. Lift-out Guard Rail (actual 78")	87#
GR08LYW	Yellow	8 ft. Lift-out Guard Rail (actual 90")	94#
GR09LYW	Yellow	9 ft. Lift-out Guard Rail (actual 102")	106#
GR10LYW	Yellow	10 ft. Lift-out Guard Rail (actual 114")	114#

Accessories Replacement Parts



BCSG1010

Model #	Description	Wt. Each
TUBE-CAP	4" Square Replacement Post Cap	0.45#
Model #	Description	Wt. Each
BCSG1010	Steel Guard Base Cover	8.5#



SAFETY PRODUCTS

Armor Guard® Industrial Railing



Armor Guard is an economical, medium duty guard rail, perfect for delineating personnel walkways and separating employees from lift truck traffic.

- Available in single high or three high versions.
- Posts are universal (holes on 3 sides) and made from 3" square structural tubing on an 8" square base plate.
- Rails are 9-3/4", 11-gauge, 2 ribbed rails and can be utilized as either bolted or lift-out rails.
- All required mounting hardware and caps included with posts.
- Anchors (3/4" x 5-1/2") included.

Armor Guard Posts



Universal Post



Corner Offset



Side Offset

Model #	Color	Description	Wt. Each
SCUMDYW	Yellow	12" Universal Post with Cap-Single High	24#
SCUOMDYW	Yellow	12" Corner Offset Post with Cap-Single High	24#
SCUSMDYW	Yellow	12" Side Offset Post with Cap-Single High	24#
TCUMDYW	Yellow	42" Universal Post with Cap-Triple High	47#
TCUOMDYW	Yellow	42" Corner Offset Post with Cap-Triple High	47#
TCUSMDYW	Yellow	42" Side Offset Post with Cap-Triple High	47#

Armor Guard Rails



Model #	Color	Description	Wt. Each
GR01MDYW	Yellow	1 ft Guard Rail (actual 9")	9.1#
GR02MDYW	Yellow	2 ft Guard Rail (actual 21")	16.6#
GR03MDYW	Yellow	3 ft Guard Rail (actual 33")	24.1#
GR04MDYW	Yellow	4 ft Guard Rail (actual 45")	31.6#
GR05MDYW	Yellow	5 ft Guard Rail (actual 57")	39.0#
GR06MDYW	Yellow	6 ft Guard Rail (actual 69")	46.5#
GR07MDYW	Yellow	7 ft Guard Rail (actual 81")	54.0#
GR08MDYW	Yellow	8 ft Guard Rail (actual 93")	61.5#
GR09MDYW	Yellow	9 ft Guard Rail (actual 105")	69.0#
GR10MDYW	Yellow	10 ft Guard Rail (actual 117")	76.5#

Lift-Out Rail Pocket



Lift-Out Rail Pocket

Model #	Color	Description	Wt. Each
GRMDLOP	Yellow	Lift-out Pocket Set (1 left, 1 right)*	8.4# set

*Note:

- (1) Lift-out pocket mounting hardware is included with posts. Same hardware as used to secure bolt-in rails.
- (2) Use of Lift-out pockets will increase post center lines by 1".

Accessories Replacement Parts

Model #	Description	Wt. Each
TUBE-CAP 3	3" Square Replacement Post Cap	0.45#



SAFETY PRODUCTS

Safety Gates



Manufactured to the same standards as our Steel Guard® and Armor Guard® railing, the safety gates can be ordered as part of a new installation or retrofitted into an existing system.

- Steel King's Self-Closing Safety Gates use heavy, 11-gauge corrugated steel rails and are designed to fit a 48" post-to-post center line within a protective railing system.
- The gate is shipped with hinge assembly on one side of the gate and two gate stops on the opposite side.
- Hardware is included and the gates will bolt to the existing posts of a Steel Guard or Armor Guard protective railing system.
- The Safety Gates are easily installed without cutting, welding or drilling.
- Steel King's Self Closing Gate's swing direction is versatile, which allows you to re-purpose gates as required. Changing the direction of the gate is as simple as removing a few bolts and flipping the gate in the direction needed. Steel spring automatically closes gate after passage is complete.
- Gates are shipped completely assembled and ready for installation.

Steel Guard Features



- Rails: Two corrugated 11-gauge steel, 14-1/2" high, three ribs
- Gate Dimensions: 38-1/2" tall and 43-3/4" wide
- Powder coat finish (yellow) –highly visible, durable and UV resistant
- Hinge assembly and gate stops assembled on gate
- Versatile: Gate can be turned/flipped to achieve desired opening direction
- Easy installation – no cutting,welding or drilling required
- All hardware and end caps included

Model #	Description		Wt. Each
SGSLG-048	Yellow	Steel Guard Safety Gate	100#

Armor Guard Features



- Rails: Three corrugated 11-gauge steel, 9-3/4" high, two ribs
- Gate Dimensions: 38-1/2" tall and 43-3/4" wide
- Powder coat finish (yellow) –highly visible, durable and UV resistant
- Hinge assembly and gate stops assembled on gate
- Versatile: Gate can be turned/flipped to achieve desired opening direction
- Easy installation – no cutting,welding or drilling required
- All hardware and end caps included

Model #	Description		Wt. Each
AGSLG-048	Yellow	Armor Guard Safety Gate	103#



CONTAINERS

Round Corner Corrugated Containers



Heavy corrugated steel sides and deck make Steel King's round corner corrugated containers a rugged and durable general purpose container. Universal stacking feet provide easy stack-ability.

- Stackable four high while loaded
- 1/4" universal stacking legs

Model #	Color	Interior Dimension	Exterior Dimension	Capacity	Wt. Each
RCCM324024VG	Vista Green	32" x 40" x 24"	33.5" x 41.5" x 28.5"	4,000#	205#
RCCM324024PP	Poppy	32" x 40" x 24"	33.5" x 41.5" x 28.5"	4,000#	205#
RCCM324024YW	Yellow	32" x 40" x 24"	33.5" x 41.5" x 28.5"	4,000#	205#
RCCM324024PB	Precaution Blue	32" x 40" x 24"	33.5" x 41.5" x 28.5"	4,000#	205#
RCCM404824VG	Vista Green	40" x 48" x 24"	41.5" x 49.5" x 28.5"	4,000#	258#
RCCM404824PP	Poppy	40" x 48" x 24"	41.5" x 49.5" x 28.5"	4,000#	258#
RCCM404824YW	Yellow	40" x 48" x 24"	41.5" x 49.5" x 28.5"	4,000#	258#
RCCM404824PB	Precaution Blue	40" x 48" x 24"	41.5" x 49.5" x 28.5"	4,000#	258#

Hold 'N Fold® Containers



Utilize the space savings of fold-down baskets with the durability of rigid containers with Steel King's patented Hold 'N Fold® containers. Ideal for the inter- or intra-plant shipments, Hold 'N Fold containers self lock when empty, eliminating the need for banding.

- Stackable six high while loaded
- Wire mesh or corrugated steel
- Half-drop gate on both long sides

Model #	Color	Description	Capacity	Wt. Each
HF4WM454842VG	Vista Green	Wire Mesh H&F 45" x 48" x 42"	4,000#	325#
HF4CM454842VG	Vista Green	Corrugated H&F 45" x 48" x 42"	4,000#	436#

WorkingTainers®



Steel King's WorkingTainers® perform double duty as storage containers and dispensing units, reducing material movement and allowing work areas to double as storage areas.

- 24" usable depth; 30.5" overall height
- Heavy duty tubular base and corner posts for durability
- Stackable six units high, while loaded

Model #	Color	Description	Capacity	Wt. Each
HDWT3036VG	Vista Green	30" x 36" x 24" nom.	4,000#	159#
HDWT3240VG	Vista Green	32" x 40" x 24" nom.	4,000#	182#
HDWT3644VG	Vista Green	36" x 44" x 24" nom.	4,000#	203#
HDWT4048VG	Vista Green	40" x 48" x 24" nom.	4,000#	224#

Add tilt and storage stands to provide an ergonomic effect for better dispensing.

Model #	Color	Description	Wt. Each
TSS3036VG	Vista Green	Tilt & Store Stand for 30" x 36"	133#
TSS3240VG	Vista Green	Tilt & Store Stand for 32" x 40"	138#
TSS3644VG	Vista Green	Tilt & Store Stand for 36" x 44"	203#
TSS4048VG	Vista Green	Tilt & Store Stand for 40" x 48"	224#



PORTABLE RACKS

Stac-King Portable Racks



With Steel King's Stac-King® portable racks you can protect your loads during handling, stacking and shipping. Stac-King racks act as their own pallet, eliminating the need and cost of wooden pallets.

The Stac-King rack's vertical posts allow the racks to be stacked up to six units high, without load-on-load contact: helping to eliminate product crush damage.

- 4-way (short-fork) base
- Open or wood board deck
- Four base sizes
- Three post sizes (sold separately)

Model #	Color	Description	Size	Max. Capacity	Wt. Each
HD4248SFWDHSVG	Vista Green	Base, Wood Deck	42" x 48"	4,000#	86#
HD4260SFWDHSVG	Vista Green	Base, Wood Deck	42" x 60"	4,000#	98#
HD4848SFWDHSVG	Vista Green	Base, Wood Deck	48" x 48"	4,000#	94#
HD4860SFWDHSVG	Vista Green	Base, Wood Deck	48" x 60"	4,000#	103#
HD4248SFODHSVG	Vista Green	Base, Open Deck	42" x 48"	4,000#	83#
HD4260SFODHSVG	Vista Green	Base, Open Deck	42" x 60"	4,000#	92#
HD4848SFODHSVG	Vista Green	Base, Open Deck	48" x 48"	4,000#	89#
HD4860SFODHSVG	Vista Green	Base, Open Deck	48" x 60"	4,000#	93#
HDC36VG	Vista Green	Post	36"	N/A	9#
HDC48VG	Vista Green	Post	48"	N/A	12#
HDC60VG	Vista Green	Post	60"	N/A	15#

Pin Rack



Steel King specializes in the custom design of shipping racks. The Pin Rack's metal slots accept drop-in pins, which allow custom configurations to hold and secure odd shaped parts.

- Inter stacks with portable racks
- Stackable up to 10 high
- 5/8" diameter pins (pins sold separately)

Model #	Color	Description	Size	Max. Capacity	Wt. Each
PINRACK4040VG	Vista Green	Pin Rack	40" x 40"	4,000#	130#
PIN14VG	Vista Green	14" pins (12" Useable)	14"	N/A	1.2#



PALLET RACK & ACCESSORIES

SK2000® Boltless Rack **SK2000®**
BOLTLESS TUBULAR RACK

Steel Frames	Model #	Color	Description	Max. Capacity	Wt. Each
 AP** or AG*	RTFAG036096F01VG	Vista Green	36" x 96" Upright Frame	27,790#	58#
	RTFAG036120F01VG	Vista Green	36" x 120" Upright Frame	27,790#	71#
	RTFAG036144F01VG	Vista Green	36" x 144" Upright Frame	27,790#	84#
	RTFAP042096F01PB	Precaution Blue	42" x 96" Upright Frame	22,780#	52#
	RTFAP042144F01PB	Precaution Blue	42" x 144" Upright Frame	22,780#	75#
	RTFAP042192F01PB	Precaution Blue	42" x 192" Upright Frame	22,780#	98#
	RTFAG042096F01VG	Vista Green	42" x 96" Upright Frame	27,790#	60#
	RTFAG042120F01VG	Vista Green	42" x 120" Upright Frame	27,790#	74#
	RTFAG042144F01VG	Vista Green	42" x 144" Upright Frame	27,790#	87#
	RTFAG042192F01VG	Vista Green	42" x 192" Upright Frame	27,790#	114#
	RTFAG042240F01VG	Vista Green	42" x 240" Upright Frame	27,790#	143#
	RTFAG048096F01VG	Vista Green	48" x 96" Upright Frame	27,790#	63#
RTFAG048120F01VG	Vista Green	48" x 120" Upright Frame	27,790#	77#	
RTFAG048144F01VG	Vista Green	48" x 144" Upright Frame	27,790#	90#	
 BP** or BG*	RTFBP042192F01PB	Precaution Blue	42" x 192" Upright Frame	31,340#	115
	RTFBP042216F01PB	Precaution Blue	42" x 216" Upright Frame	31,340#	126#
	RTFBP042240F01PB	Precaution Blue	42" x 240" Upright Frame	31,340#	140#
	RTFBG042144F01VG	Vista Green	42" x 144" Upright Frame	41,430#	103#
	RTFBG042192F01VG	Vista Green	42" x 192" Upright Frame	41,430#	136#
	RTFBG042216F01VG	Vista Green	42" x 216" Upright Frame	41,430#	153#
	RTFBG042240F01VG	Vista Green	42" x 240" Upright Frame	41,430#	165#
	RTFBG048192F01VG	Vista Green	48" x 192" Upright Frame	41,430#	141#
	RTFBG048240F01VG	Vista Green	48" x 240" Upright Frame	41,430#	175#

SK2000 Quick Ship Pallet Rack is ONLY available FOB Sauk Village, IL



Notes to Upright Capacities

- 1) Capacity is based on 36" vertical beam spacing. Larger spacing decreases capacity.
- 2) Capacities based upon interior usage.
- 3) Capacities are for selective rack only.
- 4) Capacities are for non-seismic usage.
- 5) All columns/posts must be anchored to an adequate concrete floor (required by RMI code).
- 6) Capacities based upon installation in plumb condition.
- 7) Capacities are total per upright, assuming equal loading on both posts.

If any of these conditions do not apply to your application, or if you are unsure if they apply, **DO NOT USE THESE CAPACITY RATINGS.** In those cases, contact Steel King's Engineering department for design information.

NOTE: A Permit and/or stamped calculations may be required by the local building department prior to installation and is the responsibility of the end user. Rack is for indoor use only. If rack needs to be located outside contact Steel King for assistance. Rack is for non-seismic usage only. If rack is located in a seismic area, please consider the racking designed for Seismic Considerations or contact Steel King for assistance.

* AG and BG frames available in Vista Green
** AP and BP frames available in Precaution Blue



STEEL KING® 48 HOUR » QUICK SHIP
BUILT TO DELIVER

PALLET RACK & ACCESSORIES

SK2000® Boltless Rack



- Boltless 3 or 4 rivet connection for easy installation.
- 1-5/8" step for decking or pallet supports.
- Automatically engaging beam safety locks to ensure proper installation.

Step Beams



Model #	Description	Max	
		Capacity	Wt. Each
SBRUM300048P	3" x 48" Step Beam	5,860# / pair	11.0#
SBRUM300096P	3" x 96" Step Beam	3,020# / pair	19.9#
SBRUM350096P	3-1/2" x 96" Step Beam	4,000# / pair	21.6#
SBRUM400096P	4" x 96" Step Beam	5,080 # / pair	23.3#
SBRUM475096P	4-3/4" x 96" Step Beam	6,080# / pair	25.4#
SBRUM550096P	5-1/2" x 96" Step Beam	8,100# / pair	29.1#
SBRUM350108P	3-1/2" x 108" Step Beam	3,240# / pair	24.1#
SBRUM400108P	4" x 108" Step Beam	4,180# / pair	26.0#
SBRUM475108P	4-3/4" x 108" Step Beam	5,480# / pair	28.4#
SBRUM550108P	5-1/2" x 108" Step Beam	7,320# / pair	32.4#
SBRUM550120P	5-1/2" x 120" Step Beam	6,700# / pair	35.7#
SBRUG600144P	6" x 144" Step Beam	8,020# / pair	58.5#

Boltless Rack Accessories



Model #	Description	Wt. Each
PSWSG036G	36" Galvanized Waterfall Pallet Support	5.8#
PSWSG042G	42" Galvanized Waterfall Pallet Support	6.7#
PSWSG048G	48" Galvanized Waterfall Pallet Support	7.5#
PSHSP036G	36" Galvanized Hat Shaped Pallet Support (inc. hardware)	3.7#
PSHSP042G	42" Galvanized Hat Shaped Pallet Support (inc. hardware)	4.3#
PSHSP048G	48" Galvanized Hat Shaped Pallet Support (inc. hardware)	5.0#
RSR3G008G	8" Galvanized Row Spacer (includes hardware)	2.3#
RSR3G012G	12" Galvanized Row Spacer (inc. hardware)	2.9#
WTR3G008VG	8" Wall Ties Vista Green (inc. hardware)	3.5#
PLBM3.4096YW	96" Load Stop Beam, 3" or 4" setback w/ same clip (inc. hardware)	26#
PLBM3.4108YW	108" Load Stop Beam, 3" or 4" setback w/ same clip (inc. hardware)	28#
ANCHOR.5x3.8-HIL	1/2" x 3-3/4" Anchor	0.3#
FPT3-5.8	3" x 5-3/4 Shim for All Uprights	0.7#
CLIP-SPRING-FLAT	Clip Spring	
.4X2J	3/8 x 2.25 Bent J Rivet, ZP	

Wire Deck



Model #	Description	Max. Capacity	Wt. Each
WIREDACK4246-2700	42" x 46" Polychrome Gray Wire Deck	2,700#	20.0#
WIREDACK4846-2500	48" x 46" Polychrome Gray Wire Deck	2,500#	24.0#



PALLET RACK & ACCESSORIES



SK2000® Boltless Rack



FOR SEISMIC CONSIDERATION

Can be used in some seismic areas, contact your Inside Sales Representative for more information.

If stamped calculations are required, 48 hour lead time does not apply.

SK2000 Frames with 5" x7" Base Plates and Additional Cross Braces*

	Model #	Color	Description	Wt. Each
14 Gauge	RTFBG042096F042XBVG	Vista Green	42" x 96" Upright, 2 Cross Braces & 5" x 7" X 3/8" Base Plate	83#
	RTFBG042120F042XBVG	Vista Green	42" x 120" Upright, 2 Cross Braces & 5" x 7" X 3/8" Base Plate	101#
	RTFBG042144F042XBVG	Vista Green	42" x 144" Upright, 2 Cross Braces & 5" x 7" X 3/8" Base Plate	116#
	RTFBG042192F043XBVG	Vista Green	42" x 192" Upright, 3 Cross Braces & 5" x 7" X 3/8" Base Plate	153#
	RTFBG042240F043XBVG	Vista Green	42" x 240" Upright, 3 Cross Braces & 5" x 7" X 3/8" Base Plate	186#
12 Gauge	RTFBW042096F082XBVG	Vista Green	42" x 96" Upright, 2 Cross Braces & 6" x 7" X 1/2" Base Plate	101#
	RTFBW042144F083XBVG	Vista Green	42" x 144" Upright, 3 Cross Braces & 6" x 7" X 1/2" Base Plate	146#
	RTFBW042192F083XBVG	Vista Green	42" x 192" Upright, 3 Cross Braces & 6" x 7" X 1/2" Base Plate	187#
	RTFBW042240F084XBVG	Vista Green	42" x 240" Upright, 4 Cross Braces & 6" x 7" X 1/2" Base Plate	231#

w/Seismic Weld*

Model #	Color	Description	Max. Capacity	Wt. Each
SBRUM400096ZCP	Poppy Orange	4" x 96" Step Beam	5,080# / pair	23.3#
SBRUM475096ZCP	Poppy Orange	4-3/4" x 96" Step Beam	6,080# / pair	25.4#
SBRUM550096ZCP	Poppy Orange	5.-1/2" x 96" Step Beam	8,100# / pair	29.1#
SBRUM475108ZCP	Poppy Orange	4-3/4 x 108" Step Beam	5,480# / pair	28.4#
SBRUM550108ZCP	Poppy Orange	5-1/2" x 108" Step Beam	7,320# / pair	32.4#
SBRUM550144ZCP	Poppy Orange	5-1/2" x 144" Step Beam	5,220# / pair	42.2#
SBRUG600144ZP	Poppy Orange	6" x 144" Step Beam	8,020# / pair	58.5#

*Additional welds to resist seismic forces and includes 4-pin connector plates.

Boltless Rack Accessories

Model #	Description	Wt. Each
ANCHOR.5x4.5-HIL	1/2" x 4-1/2" Seismic Anchor	0.3#
SHIM.125-04	5" x 7" Base Plate Shim	1.3#
SHIM.125-08	6" x 7" Base Plate Shim	1.5#

SK2000 Quick Ship Pallet Rack is ONLY available FOB Sauk Village, IL




PALLET RACK & ACCESSORIES

SK3000® Structural Rack



Upright Frames 3"



BCF Upright Frame

Model #	Color	Description	Max. Capacity	Wt. Each
BCF3L036096F03PB	Precaution Blue	3" x 36" x 96" Upright	39,990#	83#
BCF3L036120F03PB	Precaution Blue	3" x 36" x 120" Upright	39,990#	104#
BCF3L036144F03PB	Precaution Blue	3" x 36" x 144" Upright	39,990#	126#
BCF3L036192F03PB	Precaution Blue	3" x 36" x 192" Upright	39,990#	164#
BCF3L042096F03PB	Precaution Blue	3" x 42" x 96" Upright	39,990#	86#
BCF3L042120F03PB	Precaution Blue	3" x 42" x 120" Upright	39,990#	109#
BCF3L042144F03PB	Precaution Blue	3" x 42" x 144" Upright	39,990#	132#
BCF3L042192F03PB	Precaution Blue	3" x 42" x 192" Upright	39,990#	170#
BCF3L048096F03PB	Precaution Blue	3" x 48" x 96" Upright	39,990#	89#
BCF3L048120F03PB	Precaution Blue	3" x 48" x 120" Upright	39,990#	113#
BCF3L048144F03PB	Precaution Blue	3" x 48" x 144" Upright	39,990#	137#
BCF3L048192F03PB	Precaution Blue	3" x 48" x 192" Upright	39,990#	177#

Upright Frames 4"

Model #	Color	Description	Max. Capacity	Wt. Each
BCF4L036096F03PB	Precaution Blue	4" x 36" x 96" Upright	56,860#	106#
BCF4L036120F03PB	Precaution Blue	4" x 36" x 120" Upright	56,860#	136#
BCF4L036144F03PB	Precaution Blue	4" x 36" x 144" Upright	56,860#	163#
BCF4L036192F03PB	Precaution Blue	4" x 36" x 192" Upright	56,860#	214#
BCF4L042096F03PB	Precaution Blue	4" x 42" x 96" Upright	56,860#	110#
BCF4L042120F03PB	Precaution Blue	4" x 42" x 120" Upright	56,860#	142#
BCF4L042144F03PB	Precaution Blue	4" x 42" x 144" Upright	56,860#	172#
BCF4L042192F03PB	Precaution Blue	4" x 42" x 192" Upright	56,860#	223#
BCF4L048096F03PB	Precaution Blue	4" x 48" x 96" Upright	56,860#	115#
BCF4L048120F03PB	Precaution Blue	4" x 48" x 120" Upright	56,860#	149#
BCF4L048144F03PB	Precaution Blue	4" x 48" x 144" Upright	56,860#	180#
BCF4L048192F03PB	Precaution Blue	4" x 48" x 192" Upright	56,860#	232#



*** Notes to Upright Capacities**

- 1) Capacity is based on 36" vertical beam spacing. Larger spacing will decrease capacity.
- 2) Capacities based upon interior usage.
- 3) Capacities are for selective rack only.
- 4) Capacities are for non-seismic usage.
- 5) All columns/posts must be anchored to an adequate concrete floor (required by RMI code).
- 6) Capacities based upon installation in a plumb condition.
- 7) Capacities are total per upright, assuming equal loading on both posts.

If any of these conditions do not apply to your application, or if you are unsure if they apply, **DO NOT USE THESE CAPACITY RATINGS.** In those cases, contact Steel King's Engineering department for design information.

NOTE: A permit and/or stamped calculations may be required by the local building department prior to installation and is the responsibility of the end user.

Rack is for indoor use only. If rack needs to be located outside contact Steel King for assistance. Rack is for non-seismic usage only.

If rack is located in a seismic area contact Steel King for assistance.

Steel King SK3000 Quick Ship Pallet Rack is ONLY available FOB Rome, GA 30161



PALLET RACK & ACCESSORIES

SK3000® Structural Rack




- Channel beams have a 7-gauge connector, featuring a wrap-around design with round holes, not slots.
- Beams are bolted to the upright frame. Each end of a load beam is bolted to the column with two, grade-5 bolts and nuts (included).
- Beams are easily adjustable in 2" vertical increments.
- Beams are pre-punched for easy installation of bolt-on beam ties.

Channel Beams



Model #	Color	Description	Max. Capacity	Max. Capacity	Wt. Each
			No Beam Tie	w/Beam Tie	
CB7XL300072BP51-30YW	Yellow	3" x 72"	5,960# / pair	7,480# / pair	26#
CB7XH300096BP51-40YW	Yellow	3" x 96"	4,900# / pair	5,460# / pair	38#
CB7XH400096BP51-40YW	Yellow	4" x 96"	7,120# / pair	10,180# / pair	49#
CB7XH300108BP51-48YW	Yellow	3" x 108"	4,040# / pair	4,420# / pair	42#
CB7XH400108BP51-48YW	Yellow	4" x 108"	5,660# / pair	8,820# / pair	54#
CB7XH500108BP51-48YW	Yellow	5" x 108"	7,880# / pair	12,880# / pair	66#
CB7XH300120BP51-40YW	Yellow	3" x 120"	3,320# / pair	3,680# / pair	46#
CB7XH400120BP51-40YW	Yellow	4" x 120"	4,600# / pair	7,340# / pair	59#
CB7XH500120BP51-40YW	Yellow	5" x 120"	6,360# / pair	11,180# / pair	72#
CB7XH500144BP71-40YW	Yellow	5" x 144"	4,420# / pair	8,580# / pair	86#

Rack Accessories



Row Spacer

Beam Tie

Model #	Color	Description	Wt. Each
RSC3G008PB	Precaution Blue	8" Row Spacer / 3" Frame (inc. hardware)	3.1#
RSC3G010PB	Precaution Blue	10" Row Spacer / 3" Frame (inc. hardware)	3.3#
RSC3G012PB	Precaution Blue	12" Row Spacer / 3" Frame (inc. hardware)	3.5#
RSC4G008PB	Precaution Blue	8" Row Spacer / 4" Frame (inc. hardware)	4.0#
RSC4G010PB	Precaution Blue	10" Row Spacer / 4" Frame (inc. hardware)	4.2#
RSC4G012PB	Precaution Blue	12" Row Spacer / 4" Frame (inc. hardware)	4.4#
PSB5X036YW	Yellow	36" Beam Tie / 3"-6" Beam (inc. hardware)	6.0#
PSB5X042YW	Yellow	42" Beam Tie / 3"-6" Beam (inc. hardware)	7.0#
PSB5X048YW	Yellow	48" Beam Tie / 3"-6" Beam (inc. hardware)	8.0#

In addition to increasing the load rating of beams, beam ties can also be utilized as pallet supports.

Model #	Description	Wt. Each
ANCHOR.5x3.8-HIL	1/2"x 3-3/4" Anchor	0.3#
SHIM.125-03	Shim for 3" OR 4" Channel Upright	1.2#

Steel King SK3000 Quick Ship Pallet Rack is ONLY available FOB Rome, GA 30161



PALLET RACK SAFETY ACCESSORIES

SK Snap-Guard Protectors

U.S. Pat. 6,920,990



Adjustable, moveable and flexible, Steel King's SK Snap-Guard is a versatile column protector designed to provide aftermarket protection for Steel King's SK2000 uprights. Use at the base of each upright, or protect the front column at each storage level.

Model #	Description	Wt. Each
SP3L1012YW	12" Snap-On Column Protector	3.5#
SP3L1018YW	18" Snap-On Column Protector	4.6#
SP3L1024YW	24" Snap-On Column Protector	5.9#
SP3LTOOL	Snap-On Column Protector Tool	1.1#

Free Standing Column Protectors



- Protects 3" or 4" wide column uprights
- Includes (4)-1/2" x 3-3/4" anchors



Model #	Color	Description	Wt. Each
FPS3-4D012YW	Yellow	12" Column Protector	12.5#
FPS3-4D018YW	Yellow	18" Column Protector	17.2#
FPS3-4D024YW	Yellow	24" Column Protector	19.3#

Note: Not compatible with oversized base plates.

Guard Dawg®



- Pallet rack end guards
- Protects 3" or 4" wide, 42" deep uprights
- Includes (4) 3/4" x 5-1/2" anchors



Model #	Color	Description	Wt. Each
GDRL11046YW	Yellow	46" Right Side Guard Dawg	53.2#
GDLL11046YW	Yellow	46" Left Side Guard Dawg	53.2#

GDLL11046YW Shown
Left Side Guard Dawg









CANTILEVER RACKS

I-Beam Cantilever Rack

Steel King's I-Beam Cantilever Rack allows you to store large, bulky items with ease.

- **Single or double-side racks - order additional base and arms for double-sided installation**
- 48" straight arms, adjustable on 4" centers (incline 1/4" per foot).
- 2,600# capacity per arm
- 48" bolted bases



144" Unit				
144" Columns/Bases	Includes hardware			
QS IBC Part #	Description	QTY		Wt. Each
IBCW8x21-144PB	Column, 144", W8x21	1	13,010 lb. cap per side w 48" arms	270#
IBCW8x21-048-BASEPB	Base, 144", W8x21	1		103#
144" Brace Kits				
(2 horizontals, 2 diagonals, hardware)				
12-48-IBC-BRACEKIT	12 ft x 48" Brace Kit	1	48" Spacing	47#
12-60-IBC-BRACEKIT	12 ft x 60" Brace Kit	1	60" Spacing	56#
12-72-IBC-BRACEKIT	12 ft x 72" Brace Kit	1	72" Spacing	64#
Shims (for 144" Units)				
FP-5.25x8x14GA-IBCSHIM	Shim, Column, W8x21	1	1 per column	1#
S14-06x012-IBCBASESHIM	Shim, Base, W8x21	1	1 per base	1.6#

192" Unit				
192" Columns/Bases	Includes hardware			
QS IBC Part #	Description	QTY		Wt. Each
IBCW10x26-192PB	Column, 192", W10x26	1	18,530 lb. cap per side w 48" arms	447#
IBCW10x26-048-BASEPB	Base, 192", W10x26	1		126#
192" Brace Kits				
(3 horizontals, 2 diagonals, hardware)				
16-48-IBC-BRACEKIT	16 ft x 48" Brace Kit	1	48" Spacing	60#
16-60-IBC-BRACEKIT	16 ft x 60" Brace Kit	1	60" Spacing	72#
16-72-IBC-BRACEKIT	16 ft x 72" Brace Kit	1	72" Spacing	84#
Shims (for 192" Units)				
FP-5.75x10x14GA-IBCSHIM	Shim, Column, W10x26	1	1 per column	1.25#
S14-05.75x012-IBCBASESHIM	Shim, Base, W10x26	1	1 per base	1.6#

Arms				
Hardware included				
QS IBC Part #	Description	QTY		Wt. Each
IBA-S4x7.7-048P	Arm, 48", S4x7.7#,	1	2,600 lb. capacity	39#

Accessories				
Hardware included				
QS IBC Part #	Description	QTY		Wt. Each
Anchors				
2 per base; 1 per column				
ANCHOR.8x5.5-HIL	Anchor, 3/4 x 5.5" Cracked Concrete	1		
Pipe Socket				
Includes hardware				
			1" removable pipe/chain not included	
IB4X7.7-ARM-PSP	Pipe Stop Socket, bolted	1		2.5#

Steel King I-Beam Cantilever Quick Ship Pallet Rack has a two-week lead time and is ONLY available FOB Rome, GA 30161



STEEL KING[®] 48 HOUR » QUICK SHIP

BUILT TO DELIVER

Prices Effective 8/25/21

Prices effective 2/01/22